# Computer vision: models, learning and inference

Chapter 9 Classification Models

#### Structure

- Logistic regression
- Bayesian logistic regression
- Non-linear logistic regression
- Kernelization and Gaussian process classification
- Incremental fitting, boosting and trees
- Multi-class classification
- Random classification trees
- Non-probabilistic classification
- Applications

#### Models for machine vision



**Table 5.1:** Example models in this chapter. These can be categorized into those that arebased on modelling probability density functions, those that are based on linearregression and those that are based on logistic regression.

#### Example application: Gender Classification



## Type 1: Model Pr(**w**|**x**) - Discriminative

How to model  $Pr(\mathbf{w} | \mathbf{x})$ ?

- Choose an appropriate form for Pr(w)
- Make parameters a function of x
- Function takes parameters  $\theta$  that define its shape

Learning algorithm: learn parameters θ from training data x,w Inference algorithm: just evaluate Pr(w|x)

### Logistic Regression

Consider two class problem.

- Choose Bernoulli distribution over world.
- Make parameter  $\lambda$  a function of x

$$Pr(w|\phi_0, \phi, \mathbf{x}) = \operatorname{Bern}_w[\operatorname{sig}[a]]$$

Model activation with a linear function

$$a = \phi_0 + \phi^T \mathbf{x}$$
 creates number between  $[-\infty, \infty]$ . Maps to  $[0, 1]$  with  $\mathrm{sig}[a] = rac{1}{1 + \exp[-a]}$ 



Two parameters

 $oldsymbol{ heta} \,=\, \{\phi_0,\phi_1\}$ 

Learning by standard methods (ML,MAP, Bayesian) Inference: Just evaluate Pr(w|x)

#### **Neater Notation**

 $Pr(w|\phi_0, \phi, \mathbf{x}) = \operatorname{Bern}_w[\operatorname{sig}[a]]$ 

To make notation easier to handle, we

• Attach a 1 to the start of every data vector

$$\mathbf{x}_i \leftarrow \begin{bmatrix} 1 & \mathbf{x}_i^T \end{bmatrix}^T$$

- Attach the offset to the start of the gradient vector  $\pmb{\varphi}$ 

$$\boldsymbol{\phi} \leftarrow [\phi_0 \quad \boldsymbol{\phi}^T]^T$$

New model:

$$Pr(w|\boldsymbol{\phi}, \mathbf{x}) = \operatorname{Bern}_{w} \left[ \frac{1}{1 + \exp[-\boldsymbol{\phi}^{T}\mathbf{x}]} \right]$$

#### Logistic regression



Computer vision: models, learning and inference. ©2011 Simon J.D. Prince

#### Maximum Likelihood

$$Pr(\mathbf{w}|\mathbf{X}, \boldsymbol{\phi}) = \prod_{i=1}^{I} \lambda^{w_i} (1-\lambda)^{1-w_i}$$
$$= \prod_{i=1}^{I} \left( \frac{1}{1+\exp[-\boldsymbol{\phi}^T \mathbf{x}_i]} \right)^{w_i} \left( \frac{\exp[-\boldsymbol{\phi}^T \mathbf{x}_i]}{1+\exp[-\boldsymbol{\phi}^T \mathbf{x}_i]} \right)^{1-w_i}$$

Take logarithm

$$L = \sum_{i=1}^{I} w_i \log \left[ \frac{1}{1 + \exp[-\boldsymbol{\phi}^T \mathbf{x}_i]} \right] + \sum_{i=1}^{I} (1 - w_i) \log \left[ \frac{\exp[-\boldsymbol{\phi}^T \mathbf{x}_i]}{1 + \exp[-\boldsymbol{\phi}^T \mathbf{x}_i]} \right]$$

Take derivative:

$$\frac{\partial L}{\partial \boldsymbol{\phi}} = -\sum_{i=1}^{I} \left( \frac{1}{1 + \exp[-\boldsymbol{\phi}^T \mathbf{x}_i]} - w_i \right) \mathbf{x}_i = -\sum_{i=1}^{I} \left( \operatorname{sig}[a_i] - w_i \right) \mathbf{x}_i$$

#### Derivatives

$$\frac{\partial L}{\partial \boldsymbol{\phi}} = -\sum_{i=1}^{I} \left( \frac{1}{1 + \exp[-\boldsymbol{\phi}^T \mathbf{x}_i]} - w_i \right) \mathbf{x}_i = -\sum_{i=1}^{I} \left( \operatorname{sig}[a_i] - w_i \right) \mathbf{x}_i$$

Unfortunately, there is no closed form solution– we cannot get an expression for  $\phi$  in terms of x and w

Have to use a general purpose technique:

"iterative non-linear optimization"

#### Optimization



How can we find the minimum?

Cost function or Objective function

Basic idea:

- Start with estimate  $oldsymbol{ heta}^{[0]}$
- Take a series of small steps to  $oldsymbol{ heta}^{[1]},oldsymbol{ heta}^{[2]}\dotsoldsymbol{ heta}^{[\infty]}$
- Make sure that each step decreases cost
- When can't improve, then must be at minimum

#### Local Minima



#### Convexity



If a function is convex, then it has only a single minimum. Can tell if a function is convex by looking at 2<sup>nd</sup> derivatives

$$Pr(\mathbf{w}|\mathbf{X}, \boldsymbol{\phi}) = \prod_{i=1}^{I} \left( \frac{1}{1 + \exp[-\boldsymbol{\phi}^{T}\mathbf{x}_{i}]} \right)^{w_{i}} \left( \frac{\exp[-\boldsymbol{\phi}^{T}\mathbf{x}_{i}]}{1 + \exp[-\boldsymbol{\phi}^{T}\mathbf{x}_{i}]} \right)^{1-w_{i}}$$

$$a) Pr(\boldsymbol{\phi}|x_{1...I}, w_{1...I}) \quad b) \log[Pr(\boldsymbol{\phi}|x_{1...I}, w_{1...I})] \quad c)$$

$$\phi_{0} \qquad \phi_{0} \qquad \phi_{0} \qquad \phi_{0} \qquad \phi_{0} \qquad \phi_{0} \qquad \phi_{0} \qquad f(\boldsymbol{\phi}|x_{1...I}, w_{1...I})] \quad c)$$

$$L = \sum_{i=1}^{I} w_{i} \log\left[\frac{1}{1 + \exp[-\boldsymbol{\phi}^{T}\mathbf{x}_{i}]}\right] + \sum_{i=1}^{I} (1 - w_{i}) \log\left[\frac{\exp[-\boldsymbol{\phi}^{T}\mathbf{x}_{i}]}{1 + \exp[-\boldsymbol{\phi}^{T}\mathbf{x}_{i}]}\right]$$

Computer vision: models, learning and inference. ©2011 Simon J.D. Prince

### **Gradient Based Optimization**

- Choose a search direction s based on the local properties of the function
- Perform an intensive search along the chosen direction.
   This is called *line search*

$$\hat{\lambda} = \underset{\lambda}{\operatorname{argmin}} \left[ f[\boldsymbol{\theta}^{[t]} + \lambda \mathbf{s}] \right]$$

• Then set

$$\boldsymbol{\theta}^{[t+1]} = \boldsymbol{\theta}^{[t]} + \hat{\lambda} \mathbf{s}$$

#### **Gradient Descent**

Consider standing on a hillside

Look at gradient where you are standing

Find the steepest direction downhill

Walk in that direction for some distance (line search)

#### Steepest Descent



#### Finite differences

What if we can't compute the gradient?

Compute finite difference approximation:

$$\frac{\partial f}{\partial \theta_j} \approx \frac{f \left[ \boldsymbol{\theta} + a \mathbf{e}_j \right] - f \left[ \boldsymbol{\theta} \right]}{a}$$

#### where **e**<sub>i</sub> is the unit vector in the j<sup>th</sup> direction

#### **Steepest Descent Problems**

Close up



#### Second Derivatives



In higher dimensions, 2<sup>nd</sup> derivatives change how much we should move in the different directions: changes best direction to move in.

#### Newton's Method

Approximate function with Taylor expansion

$$f[\boldsymbol{\theta}] \approx f[\boldsymbol{\theta}^{[t]}] + (\boldsymbol{\theta} - \boldsymbol{\theta}^{[t]})^T \left. \frac{\partial f}{\partial \boldsymbol{\theta}} \right|_{\boldsymbol{\theta}^{[t]}} + \frac{1}{2} (\boldsymbol{\theta} - \boldsymbol{\theta}^{[t]})^T \left. \frac{\partial^2 f}{\partial \boldsymbol{\theta}^2} \right|_{\boldsymbol{\theta}^{[t]}} (\boldsymbol{\theta} - \boldsymbol{\theta}^{[t]})$$

Take derivative

$$\frac{\partial f}{\partial \boldsymbol{\theta}} \approx \left. \frac{\partial f}{\partial \boldsymbol{\theta}} \right|_{\boldsymbol{\theta}^{[t]}} + \left. \frac{\partial^2 f}{\partial \boldsymbol{\theta}^2} \right|_{\boldsymbol{\theta}^{[t]}} \left( \boldsymbol{\theta} - \boldsymbol{\theta}^{[t]} \right) = 0$$

Re-arrange

$$\hat{\boldsymbol{\theta}} = \boldsymbol{\theta}^{[t]} - \left(\frac{\partial^2 f}{\partial \boldsymbol{\theta}^2}\right)^{-1} \frac{\partial f}{\partial \boldsymbol{\theta}}$$
 (derivatives taken at time t)

Adding line search

$$\boldsymbol{\theta}^{[t+1]} = \boldsymbol{\theta}^{[t]} - \lambda \left(\frac{\partial^2 f}{\partial \boldsymbol{\theta}^2}\right)^{-1} \frac{\partial f}{\partial \boldsymbol{\theta}}$$

#### Newton's Method

$$\boldsymbol{\theta}^{[t+1]} = \boldsymbol{\theta}^{[t]} - \lambda \left(\frac{\partial^2 f}{\partial \boldsymbol{\theta}^2}\right)^{-1} \frac{\partial f}{\partial \boldsymbol{\theta}}$$



Matrix of second derivatives is called the Hessian.

## Expensive to compute via finite differences.

If positive definite, then convex

#### Newton vs. Steepest Descent



#### Line Search



#### Gradually narrow down range

#### **Optimization for Logistic Regression**

$$\boldsymbol{\phi}^{[t]} = \boldsymbol{\phi}^{[t-1]} + \alpha \left(\frac{\partial^2 L}{\partial \boldsymbol{\phi}^2}\right)^{-1} \frac{\partial L}{\partial \boldsymbol{\phi}}$$

Derivatives of log likelihood:

$$\frac{\partial L}{\partial \phi} = -\sum_{i=1}^{I} (\operatorname{sig}[a_i] - w_i) \mathbf{x}_i$$
$$\frac{\partial^2 L}{\partial \phi^2} = -\sum_{i=1}^{I} \operatorname{sig}[a_i] (1 - \operatorname{sig}[a_i]) \mathbf{x}_i \mathbf{x}_i^T$$
Positive definite!

Computer vision: models, learning and inference. ©2011 Simon J.D. Prince

25

$$Pr(\mathbf{w}|\mathbf{X}, \boldsymbol{\phi}) = \prod_{i=1}^{I} \left( \frac{1}{1 + \exp[-\boldsymbol{\phi}^{T}\mathbf{x}_{i}]} \right)^{w_{i}} \left( \frac{\exp[-\boldsymbol{\phi}^{T}\mathbf{x}_{i}]}{1 + \exp[-\boldsymbol{\phi}^{T}\mathbf{x}_{i}]} \right)^{1-w_{i}}$$

$$a) Pr(\boldsymbol{\phi}|x_{1...I}, w_{1...I}) \quad b) \log[Pr(\boldsymbol{\phi}|x_{1...I}, w_{1...I})] \quad c)$$

$$\phi_{1} \qquad \phi_{1} \qquad \phi_{2} \qquad \phi_{3} \qquad \phi_{4} \qquad \phi_{5} \qquad \phi_{6} \qquad \phi_{7} \qquad \phi_{$$

Computer vision: models, learning and inference. ©2011 Simon J.D. Prince

#### Maximum likelihood fits



Computer vision: models, learning and inference. ©2011 Simon J.D. Prince

#### Structure

- Logistic regression
- Bayesian logistic regression
- Non-linear logistic regression
- Kernelization and Gaussian process classification
- Incremental fitting, boosting and trees
- Multi-class classification
- Random classification trees
- Non-probabilistic classification
- Applications



#### **Bayesian Logistic Regression**

Likelihood:

$$Pr(\mathbf{w}|\mathbf{X}, \boldsymbol{\phi}) = \prod_{i=1}^{I} \left( \frac{1}{1 + \exp[-\boldsymbol{\phi}^{T} \mathbf{x}_{i}]} \right)^{w_{i}} \left( \frac{\exp[-\boldsymbol{\phi}^{T} \mathbf{x}_{i}]}{1 + \exp[-\boldsymbol{\phi}^{T} \mathbf{x}_{i}]} \right)^{1-w_{i}}$$

Prior (no conjugate):

$$Pr(\boldsymbol{\phi}) = \operatorname{Norm}_{\boldsymbol{\phi}}[\mathbf{0}, \sigma_p^2 \mathbf{I}]$$

Apply Bayes' rule:

$$Pr(\boldsymbol{\phi}|\mathbf{X}, \mathbf{w}) = \frac{Pr(\mathbf{w}|\mathbf{X}, \boldsymbol{\phi})Pr(\boldsymbol{\phi})}{Pr(\mathbf{w}|\mathbf{X})}$$

(no closed form solution for posterior)

#### Laplace Approximation



Approximate posterior distribution with normal

- Set mean to MAP estimate
- Set covariance to match that at MAP estimate (actually: get 2<sup>nd</sup> derivatives to agree) Computer Vision: models, learning and inference. ©2011 Simon J.D. Prince

#### Laplace Approximation

Find MAP solution by optimizing

$$L = \sum_{i=1}^{I} \log[Pr(w_i | \mathbf{x}_i, \boldsymbol{\phi})] + \log[Pr(\boldsymbol{\phi})]$$

Approximate with normal

$$Pr(\boldsymbol{\phi}|\mathbf{X}, \mathbf{w}) \approx q(\boldsymbol{\phi}) = \operatorname{Norm}_{\boldsymbol{\phi}}[\boldsymbol{\mu}, \boldsymbol{\Sigma}]$$

where

$$oldsymbol{\mu} = \hat{oldsymbol{\phi}}$$
 $oldsymbol{\Sigma} = -\left(rac{\partial^2 L}{\partial \phi^2}
ight)^{-1}\Big|_{oldsymbol{\phi}=\hat{oldsymbol{\phi}}}$ 

#### Laplace Approximation



#### Inference

$$Pr(w^*|\mathbf{x}^*, \mathbf{X}, \mathbf{w}) = \int Pr(w^*|\mathbf{x}^*, \boldsymbol{\phi}) Pr(\boldsymbol{\phi}|\mathbf{X}, \mathbf{w}) d\boldsymbol{\phi}$$
$$\approx \int Pr(w^*|\mathbf{x}^*, \boldsymbol{\phi}) q(\boldsymbol{\phi}) d\boldsymbol{\phi}.$$

Can re-express in terms of activation

$$Pr(w^*|\mathbf{x}^*, \mathbf{X}, \mathbf{w}) \approx \int Pr(w^*|a) Pr(a) da$$

Using transformation properties of normal distributions

$$Pr(a) = Pr(\boldsymbol{\phi}^T \mathbf{x}^*) = \operatorname{Norm}_a[\boldsymbol{\mu}^T \mathbf{x}^*, \mathbf{x}^*^T \boldsymbol{\Sigma} \mathbf{x}] \\ = \operatorname{Norm}_a[\mu_a, \sigma_a^2],$$



Computer vision: models, learning and inference. ©2011 Simon J.D. Prince

#### **Bayesian Solution**


# Structure

- Logistic regression
- Bayesian logistic regression
- Non-linear logistic regression
- Kernelization and Gaussian process classification
- Incremental fitting, boosting and trees
- Multi-class classification
- Random classification trees
- Non-probabilistic classification
- Applications



# Non-linear logistic regression

Same idea as for regression.

• Apply non-linear transformation

$$\mathbf{z} = \mathbf{f}[\mathbf{x}]$$

• Build model as usual

$$Pr(w = 1 | \mathbf{x}, \boldsymbol{\phi}) = \operatorname{Bern}_{w} \left[ \operatorname{sig}[\boldsymbol{\phi}^{T} \mathbf{z}] \right]$$
$$= \operatorname{Bern}_{w} \left[ \operatorname{sig}[\boldsymbol{\phi}^{T} \mathbf{f}[\mathbf{x}]] \right]$$

# Non-linear logistic regression

#### Example transformations:

- Heaviside Step functions of projections:  $z_k = \text{Heaviside}[\boldsymbol{\alpha}_k^T \mathbf{x}]$
- Arc tan functions of projections:  $z_k = \arctan[\boldsymbol{\alpha}_k^T \mathbf{x}]$
- Radial basis functions:  $z_k = \exp\left[-\frac{1}{\lambda_0}(\mathbf{x} \boldsymbol{\alpha}_k)^T(\mathbf{x} \boldsymbol{\alpha}_k)\right]$

#### Fit using optimization (also transformation parameters $\alpha$ ):

$$\frac{\partial L}{\partial \theta} = -\sum_{i=1}^{I} (w_i - \operatorname{sig}[a_i]) \frac{\partial a_i}{\partial \theta}$$
  
$$\frac{\partial^2 L}{\partial \theta^2} = -\sum_{i=1}^{I} \operatorname{sig}[a_i] (\operatorname{sig}[a_i] - 1) \frac{\partial a_i}{\partial \theta} \frac{\partial a_i}{\partial \theta}^T - (w_i - \operatorname{sig}[a_i]) \frac{\partial^2 a_i}{\partial \theta^2}$$



# Non-linear logistic regression in 2D



# Structure

- Logistic regression
- Bayesian logistic regression
- Non-linear logistic regression
- Kernelization and Gaussian process classification
- Incremental fitting, boosting and trees
- Multi-class classification
- Random classification trees
- Non-probabilistic classification
- Applications



# **Dual Logistic Regression**

#### **KEY IDEA:**

Gradient  $\Phi$  is just a vector in the data space

Can represent as a weighted sum of the data points

$$\phi = \mathbf{X}\psi$$

Now solve for  $\Psi$ . One parameter per training example.

 $\mathbf{X}_2$  $\mathbf{X}_1$  $\psi_1 \mathbf{X}_1$  $x_1$ 

## Maximum Likelihood

Likelihood

$$Pr(\mathbf{w}|\mathbf{X}, \boldsymbol{\psi}) = \prod_{i=1}^{I} \operatorname{Bern}_{w_i} \left[ \operatorname{sig}[a_i] \right] = \prod_{i=1}^{I} \operatorname{Bern}_{w_i} \left[ \operatorname{sig}[\boldsymbol{\psi}^T \mathbf{X}^T \mathbf{x}_i] \right]$$

Derivatives

$$\frac{\partial L}{\partial \psi} = -\sum_{i=1}^{I} \left( \operatorname{sig}[a_i] - w_i \right) \mathbf{X}^T \mathbf{x}_i$$
$$\frac{\partial^2 L}{\partial \psi^2} = -\sum_{i=1}^{I} \operatorname{sig}[a_i] \left( 1 - \operatorname{sig}[a_i] \right) \mathbf{X}^T \mathbf{x}_i \mathbf{x}_i^T \mathbf{X}_i$$

#### Depend only depend on inner products!

### **Kernel Logistic Regression**

$$k[\mathbf{x}_i, \mathbf{x}_j] = \exp\left[-0.5\left(\frac{(\mathbf{x}_i - \mathbf{x}_j)^T(\mathbf{x}_i - \mathbf{x}_j)}{\lambda_0^2}\right)\right]$$





#### Bayesian case is known as Gaussian process classification

Apply sparse prior to dual variables:

$$Pr(\boldsymbol{\psi}) = \prod_{i=1}^{I} \operatorname{Stud}_{\boldsymbol{\psi}_{i}} [0, 1, \nu]$$

As before, write as marginalization of dual variables:

$$Pr(\boldsymbol{\psi}) = \prod_{i=1}^{I} \int \operatorname{Norm}_{\psi_i} \left[ 0, \frac{1}{h_i} \right] \operatorname{Gam}_{h_i} \left[ \frac{\nu}{2}, \frac{\nu}{2} \right] dh_i$$
$$= \int \operatorname{Norm}_{\boldsymbol{\psi}} [0, \mathbf{H}^{-1}] \prod_{d=1}^{D} \operatorname{Gam}_{h_d} [\nu/2, \nu/2] d\mathbf{H}$$

Apply sparse prior to dual variables:

$$Pr(\boldsymbol{\psi}) = \int \operatorname{Norm}_{\boldsymbol{\psi}}[0, \mathbf{H}^{-1}] \prod_{d=1}^{D} \operatorname{Gam}_{h_d}[\nu/2, \nu/2] d\mathbf{H}$$

Gives likelihood:

$$\begin{aligned} Pr(\mathbf{w}|\mathbf{X}) \\ &= \int Pr(\mathbf{w}|\mathbf{X}, \boldsymbol{\psi}) Pr(\boldsymbol{\psi}) \, d\boldsymbol{\psi} \\ &= \iint \prod_{i=1}^{I} \operatorname{Bern}_{w_i} \left[ \operatorname{sig}[\boldsymbol{\psi}^T \mathbf{K}[\mathbf{X}, \mathbf{x}_i]] \operatorname{Norm}_{\boldsymbol{\psi}}[0, \mathbf{H}^{-1}] \prod_{d=1}^{D} \operatorname{Gam}_{h_d}[\nu/2, \nu/2] \, d\mathbf{H} d\boldsymbol{\psi} \right] \end{aligned}$$

 $Pr(\mathbf{w}|\mathbf{X})$ 

$$= \iint \prod_{i=1}^{I} \operatorname{Bern}_{w_i} \left[ \operatorname{sig}[\boldsymbol{\psi}^T \mathbf{K}[\mathbf{X}, \mathbf{x}_i]] \operatorname{Norm}_{\boldsymbol{\psi}}[0, \mathbf{H}^{-1}] \prod_{d=1}^{D} \operatorname{Gam}_{h_d}[\nu/2, \nu/2] d\mathbf{H} d\boldsymbol{\psi} \right]$$

Use Laplace approximation result:

$$\int q(\boldsymbol{\psi}) d\boldsymbol{\psi} \approx q(\boldsymbol{\mu}) \int \exp\left[-\frac{1}{2}(\boldsymbol{\psi} - \boldsymbol{\mu})^T \boldsymbol{\Sigma}^{-1}(\boldsymbol{\psi} - \boldsymbol{\mu})\right] d\boldsymbol{\psi}$$
$$= q(\boldsymbol{\mu})(2\pi)^{D/2} |\boldsymbol{\Sigma}|^{1/2}.$$

giving:

$$Pr(\mathbf{w}|\mathbf{X}) \approx \int \prod_{i=1}^{I} (2\pi)^{I/2} |\mathbf{\Sigma}|^{0.5} \operatorname{Bern}_{w_i} [\operatorname{sig}[\boldsymbol{\mu}^T \mathbf{K}[\mathbf{X}, \mathbf{x}_i]] \operatorname{Norm}_{\boldsymbol{\mu}} [0, \mathbf{H}^{-1}] \operatorname{Gam}_{h_i} [\frac{\nu}{2}, \frac{\nu}{2}] d\mathbf{H}$$

Previous result:

$$Pr(\mathbf{w}|\mathbf{X}) \approx \int \prod_{i=1}^{I} (2\pi)^{I/2} |\mathbf{\Sigma}|^{0.5} \operatorname{Bern}_{w_i} [\operatorname{sig}[\boldsymbol{\mu}^T \mathbf{K}[\mathbf{X}, \mathbf{x}_i]] \operatorname{Norm}_{\boldsymbol{\mu}} [0, \mathbf{H}^{-1}] \operatorname{Gam}_{h_i} [\frac{\nu}{2}, \frac{\nu}{2}] d\mathbf{H}$$

Second approximation:

$$Pr(\mathbf{w}|\mathbf{X}) \approx \max_{\mathbf{H}} \left[ \prod_{i=1}^{I} (2\pi)^{I/2} |\mathbf{\Sigma}|^{0.5} \operatorname{Bern}_{w_i} [\operatorname{sig}[\boldsymbol{\mu}^T \mathbf{K}[\mathbf{X}, \mathbf{x}_i]] \operatorname{Norm}_{\boldsymbol{\mu}} [0, \mathbf{H}^{-1}] \operatorname{Gam}_{h_i} [\frac{\nu}{2}, \frac{\nu}{2}] \right]$$

To solve, alternately update hidden variables in **H** and mean and variance of Laplace approximation.

 $Pr(w=1|\mathbf{x})$ 



**Results:** 

Most hidden variables increase to larger values

This means prior over dual variable is very tight around zero

The final solution only depends on a very small number of examples – efficient

# Structure

- Logistic regression
- Bayesian logistic regression
- Non-linear logistic regression
- Kernelization and Gaussian process classification
- Incremental fitting & boosting
- Multi-class classification
- Random classification trees
- Non-probabilistic classification
- Applications



### **Incremental Fitting**

Previously wrote:

$$a_i = \boldsymbol{\phi}^T \mathbf{z}_i = \boldsymbol{\phi}^T \mathbf{f}[\mathbf{x}_i]$$

Now write:

$$a_i = \phi_0 + \sum_{k=1}^{\kappa} \phi_k f[\mathbf{x}_i, \boldsymbol{\xi}_k]$$

T/

• Arc tan functions,  $\boldsymbol{\xi} = \{\boldsymbol{\alpha}\}$ 

$$f[\mathbf{x}, \boldsymbol{\xi}] = \arctan[\boldsymbol{\alpha}^T \mathbf{x}]$$

• Radial basis functions,  $\boldsymbol{\xi} = \{ \boldsymbol{\alpha}, \lambda_0 \}$ 

$$f[\mathbf{x}, \boldsymbol{\xi}] = \exp\left[-\frac{(\mathbf{x} - \boldsymbol{\alpha})^T(\mathbf{x} - \boldsymbol{\alpha})}{\lambda_0^2}\right]$$

#### **Incremental Fitting**

**KEY IDEA:** Greedily add terms one at a time.

**STAGE 1:** Fit  $\phi_0$ ,  $\phi_1$ ,  $\xi_1$ 

$$a_i = \phi_0 + \phi_1 f[\mathbf{x}_i, \boldsymbol{\xi}_1]$$

STAGE 2: Fit  $\phi_0$ ,  $\phi_2$ ,  $\xi_2$   $a_i = \phi_0 + \phi_1 f[\mathbf{x}_i, \boldsymbol{\xi}_2] + \phi_2 f[\mathbf{x}_i, \boldsymbol{\xi}_2]$ STAGE K: Fit  $\phi_0$ ,  $\phi_k$ ,  $\xi_k$  $a_i = \phi_0 + \sum_{k=1}^{K} \phi_k f[\mathbf{x}_i, \boldsymbol{\xi}_k]$ 

#### **Incremental Fitting**



# Derivative

It is worth considering the form of the derivative in the context of the incremental fitting procedure



Points contribute to derivative more if they are still misclassified: the later classifiers become increasingly specialized to the difficult examples.

# Boosting

Incremental fitting with step functions

$$a_i = \phi_0 + \sum_{k=1}^{K} \phi_k \text{Heaviside}[\boldsymbol{\alpha}_k^T \mathbf{x}]$$

Each step function is called a ``weak classifier``

Can't take derivative w.r.t  $\boldsymbol{\alpha}$  so have to just use exhaustive search



# **Branching Logistic Regression**

A different way to make non-linear classifiers

New activation

$$a_i = (1 - g[\mathbf{x}_i, \boldsymbol{\omega}])\boldsymbol{\phi}_0^T \mathbf{x}_i + g[\mathbf{x}_i, \boldsymbol{\omega}]\boldsymbol{\phi}_1^T \mathbf{x}_i$$

The term  $g[\bullet, \bullet]$  is a gating function.

- Returns a number between 0 and 1
- If 0, then we get one logistic regression model
- If 1, then get a different logistic regression model

### **Branching Logistic Regression**



Computer vision: models, learning and inference. ©2011 Simon J.D. Prince

### **Logistic Classification Trees**



# Structure

- Logistic regression
- Bayesian logistic regression
- Non-linear logistic regression
- Kernelization and Gaussian process classification
- Incremental fitting, boosting and trees
- Multi-class classification
- Random classification trees
- Non-probabilistic classification
- Applications

# **Multiclass Logistic Regression**

For multiclass recognition, choose distribution over w and make the parameters of this a function of **x**.

$$Pr(w|\mathbf{x}) = \operatorname{Cat}_w[\boldsymbol{\lambda}[\mathbf{x}]]$$

Softmax function maps real activations  $\{a_n\}$  to numbers between zero and one that sum to one

$$\lambda_n = \operatorname{softmax}_n[a_1, a_2 \dots a_N] = \frac{\exp[a_n]}{\sum_{m=1}^N \exp[a_m]}$$

Parameters are vectors  $\{\phi_n\}$ 

$$a_n = \boldsymbol{\phi}_n^T \mathbf{x}$$

# **Multiclass Logistic Regression**

Softmax function maps activations which can take any value to parameters of categorical distribution between 0 and 1



## **Multiclass Logistic Regression**

To learn model, maximize log likelihood

$$L = \sum_{i=1}^{I} \log \left[ Pr(w_i | \mathbf{x}_i) \right]$$

No closed from solution, learn with non-linear optimization

$$\frac{\partial L}{\partial \phi_n} = -\sum_{i=1}^{I} (y_{in} - \delta[w_i - n]) \mathbf{x}_i$$
$$\frac{\partial^2 L}{\partial \phi_m \phi_n} = -\sum_{i=1}^{I} y_{im} (\delta[m - n] - y_{in}) \mathbf{x}_i \mathbf{x}_i^T$$

where

$$y_{in} = Pr(w_i = n | \mathbf{x}_i) = \operatorname{softmax}_n[a_{i1}, a_{i2} \dots a_{iN}]$$

# Structure

- Logistic regression
- Bayesian logistic regression
- Non-linear logistic regression
- Kernelization and Gaussian process classification
- Incremental fitting, boosting and trees
- Multi-class classification
- Random classification trees
- Non-probabilistic classification
- Applications

# Random classification tree

Key idea:

- Binary tree
- Randomly chosen function at each split
- Choose threshold t to maximize log probability  $L = \sum_{i=1}^{I} (1 - \text{heaviside}[q[\mathbf{x}_i] - \tau]) \log \left[ \text{Cat}_{w_i} \left[ \boldsymbol{\lambda}^{[l]} \right] \right]$   $+ \text{heaviside}[q[\mathbf{x}_i] - \tau] \log \left[ \text{Cat}_{w_i} \left[ \boldsymbol{\lambda}^{[r]} \right] \right]$

For given threshold, can compute parameters in closed form

$$\lambda_{k}^{[l]} = \frac{\sum_{i=1}^{I} \delta[w_{i} - k](1 - \text{heaviside}[q[\mathbf{x}_{i}] - \tau])}{\sum_{i=1}^{I} (1 - \text{heaviside}[q[\mathbf{x}_{i}] - \tau])}$$
$$\lambda_{k}^{[r]} = \frac{\sum_{i=1}^{I} \delta[w_{i} - k](\text{heaviside}[q[\mathbf{x}_{i}] - \tau])}{\sum_{i=1}^{I} (\text{heaviside}[q[\mathbf{x}_{i}] - \tau])}.$$

# Random classification tree

Related models:

Fern:

- A tree where all of the functions at a level are the same
- Thresholds per level may be same or different
- Very efficient to implement

Forest

- Collection of trees
- Average results to get more robust answer
- Similar to `Bayesian' approach average of models with different parameters

# Structure

- Logistic regression
- Bayesian logistic regression
- Non-linear logistic regression
- Kernelization and Gaussian process classification
- Incremental fitting, boosting and trees
- Multi-class classification
- Random classification trees
- Non-probabilistic classification
- Applications
# Non-probabilistic classifiers

Most people use non-probabilistic classification methods such as neural networks, adaboost, support vector machines. This is largely for historical reasons

Probabilistic approaches:

- No serious disadvantages
- Naturally produce estimates of uncertainty
- Easily extensible to multi-class case
- Easily related to each other

# Non-probabilistic classifiers

### Multi-layer perceptron (neural network)

- Non-linear logistic regression with sigmoid functions
- Learning known as back propagation
- Transformed variable z is hidden layer

### Adaboost

- Very closely related to logitboost
- Performance very similar

#### Support vector machines

- Similar to relevance vector classification but objective fn is convex
- No certainty
- Not easily extended to multi-class
- Produces solutions that are less sparse
- More restrictions on kernel function

## Structure

- Logistic regression
- Bayesian logistic regression
- Non-linear logistic regression
- Kernelization and Gaussian process classification
- Incremental fitting, boosting and trees
- Multi-class classification
- Random classification trees
- Non-probabilistic classification
- Applications

### **Gender Classification**



Incremental logistic regression

$$Pr(w_i|\mathbf{x}_i) = \operatorname{Bern}_{w_i} \left[ \frac{1}{1 + \exp[-\phi_0 + \sum_{k=1}^{K} \phi_k f[\mathbf{x}_i, \boldsymbol{\xi}_k]]} \right]$$

**300** arc tan basis functions:  $f[\mathbf{x}_i, \boldsymbol{\xi}_k] = \arctan[\boldsymbol{\xi}_k^T \mathbf{x}_i]$ 

Results: 87.5% (humans=95%)

# Fast Face Detection (Viola and Jones 2001)



## **Computing Haar Features**



(See "Integral Images" or summed-area tables)

Computer vision: models, learning and inference. ©2011 Simon J.D. Prince

### **Pedestrian Detection**



Adapted from Viola et al. (2005)

### Semantic segmentation



Shotton et al. (2009)

## Recovering surface layout



Computer vision: models, learning and inference. ©2011 Simon J.D. Prince

### Recovering body pose



Computer vision: models, learning and inference. ©2011 Simon J.D. Prince